



# VACUUM CONTAINERS



Available in 20- and 25-cubic yard capacities  
with multiple configurations.

**Wastequip vacuum containers safely handle and store hazardous and non-hazardous wet or dry waste, including oil, sludge, slurry, ash, mud, chemicals, and other environmentally-damaging materials. They're ideal for the oil and gas, pulp and paper, mining, automotive, power plant, and steel mill industries. By holding up to 300% more volume than vacuum trucks, Wastequip vacuum containers save valuable time and money.**

## VACUUM CONTAINERS

- Hold up to 300% more volume than a typical 5-cubic-yard truck
- Safely handle oils, sludge, chemicals and other environmentally-damaging materials
- Fully-gasketed door is quality-tested against leakage
- Grease fittings on all working points
- One-year warranty



A vacuum truck bypasses its tank and pumps straight into the vacuum container, keeping the vacuum truck at the site working while vacuum containers are filled and hauled away.

## VALUE-ADDED BENEFITS

### DURABLE

- Outside rail under-structure
- 1/4" floor, 7-gauge sides  
(Also available with 1/4" floor, 1/4" sides)
- 6" x 2" x 1/4" tubing long sills
- Continuous inside welds
- 8-5/8" OD front and rear rollers
- Flat front

### FULLY SEALED

- Hydro-tested against leakage
- Gasketed rear door provides full seal
- EPDM T door seal
- 4 door ratchets (2 on rear door, one each on sidewall)
- Side-hinged rear door



# VACUUM CONTAINERS | MODELS

## RADIUS CORNER MODELS



## SQUARE CORNER MODELS



### SPECIFICATIONS

<b>CAPACITY</b>	<ul style="list-style-type: none"> <li>• 4,050 gal. (20 cu. yd. model)</li> <li>• 5,050 gal. (25 cu. yd. model)</li> </ul>
<b>FLOOR PLATE</b>	<ul style="list-style-type: none"> <li>• 1/4", single-piece design</li> </ul>
<b>FRONT, SIDES, ROOF</b>	<ul style="list-style-type: none"> <li>• 7-gauge, one-piece design</li> </ul>
<b>ACCESS</b>	<ul style="list-style-type: none"> <li>• 21-1/4" wide man-way centered on roof and accessible by ladder</li> </ul>
<b>DOOR</b>	<ul style="list-style-type: none"> <li>• 7-gauge with 4" x 3" x 1/4" structural tubing</li> <li>• Door latch side opening, four independent ratchet binders</li> <li>• EPDM extruded one-piece "T" gasket with 1/2" x 1/2" x 1/8" retainer angle</li> </ul>
<b>RAILS</b>	<ul style="list-style-type: none"> <li>• Front vertical: 6" x 2" x 3/16" rectangular structural tubing</li> <li>• Rails: 6" x 2" x 1/4" structural tubing</li> <li>• Rail extensions: 1-1/4" plate</li> </ul>
<b>INLET/OUTLET</b>	<ul style="list-style-type: none"> <li>• 8" x 150 lb. flanges, gaskets and 1/4" caps</li> </ul>
<b>STRUCTURAL</b>	<ul style="list-style-type: none"> <li>• Ribs: 3" x 3" x 7-gauge formed channels</li> <li>• Cross members: 3" x 3" x 7-gauge formed channels, 16" o.c.</li> <li>• Rear posts and header: 6" x 3" x 7-gauge structural tubing</li> </ul>
<b>ROLLERS</b>	<ul style="list-style-type: none"> <li>• Four 8-5/8" diameter, 8" long</li> </ul>
<b>WATER TESTED FOR LEAKS</b>	<ul style="list-style-type: none"> <li>• Rated at 27.5 inches of mercury</li> </ul>
<b>WEIGHT</b>	<ul style="list-style-type: none"> <li>• 8,751 lbs. (20 cu. yd. model)*</li> <li>• 9,470 lbs. (25 cu. yd. model)*</li> </ul>


### SPECIFICATIONS

<b>CAPACITY</b>	<ul style="list-style-type: none"> <li>• 4,050 gal. (20 cu. yd. model)</li> <li>• 5,050 gal. (25 cu. yd. model)</li> </ul>
<b>FLOOR, SIDES, ROOF &amp; BULKHEAD</b>	<ul style="list-style-type: none"> <li>• 1/4" plate</li> </ul>
<b>ACCESS</b>	<ul style="list-style-type: none"> <li>• 25" wide man-way centered on roof and accessible by ladder</li> </ul>
<b>DOOR</b>	<ul style="list-style-type: none"> <li>• 1/4" plate</li> <li>• Fully-gasketed</li> <li>• Side or top hinge (customer specifies)</li> </ul>
<b>RAILS</b>	<ul style="list-style-type: none"> <li>• Front vertical: 6" x 2" x 3/16" rectangular structural tubing</li> <li>• Rails: 6" x 2" x 1/4" structural tubing</li> <li>• Rail extensions: 1-1/4" plate</li> </ul>
<b>INLET/OUTLET</b>	<ul style="list-style-type: none"> <li>• 8" x 150 lb. flanges, gaskets and 1/4" caps</li> </ul>
<b>STRUCTURAL</b>	<ul style="list-style-type: none"> <li>• Channel side and roof stakes: 7-gauge formed</li> <li>• Tubing long sills: 6" x 2" x 1/4"</li> </ul>
<b>ROLLERS</b>	<ul style="list-style-type: none"> <li>• Four 8-5/8" diameter, 8" long</li> </ul>
<b>WATER TESTED FOR LEAKS</b>	<ul style="list-style-type: none"> <li>• Rated at 27.5 inches of mercury</li> </ul>
<b>WEIGHT</b>	<ul style="list-style-type: none"> <li>• 9,800 (20 cu. yd. model)*</li> <li>• 10,550 (25 cu. yd. model)*</li> </ul>


\* estimated

# VACUUM CONTAINERS | DIMENSIONS

## RADIUS CORNER MODELS



## SQUARE CORNER MODELS



Wastequip vacuum containers can be used with Cusco vacuum trucks.

### **CUSCO**

Cusco is a Wastequip brand.



2521 BOWMAN ST  
INNISFIL, ONTARIO  
L9S 3V6 CANADA  
PHONE: 705.733.7700  
www.jjei.com

7.468.9278 | sales@wastequip.com | www.wastequip.com

